

SECTION 1 IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier:**Product name:** SANDING - POLISHING PASTE SOLL ONE STEP**Product code:** SPP-1, SPP-250.**1.2. Relevant identified uses of the substance or mixture and uses advised against:** Sanding - polishing paste.**1.3. Details of the supplier of the safety data sheet:****Manufacturer/Distributor:**

UAB HELVINA

Parko str. 96, Ramučiai

LT 54464 Kaunas district

Lithuania

Tel.: +370 37308901

Fax: +370 37308902

E-mail: info@helvina.ltwww.helvina.lt**1.4. Emergency telephone number:**

Poison control and information office: Tel.: +370 5 236 2052 or +370 687 53378

SECTION 2 IDENTIFICATION OF THREATS

2.1. Classification of the substance or mixture**Classification according to Directive 67/548/EEC or 1999/45/EC**

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements**In accordance with Directive 1999/45/EC:**

Not applicable.

In accordance with Regulation (EC) No. 1272/2008:

Not applicable.

2.3. Other hazards**Results of PBT and vPvB assessment:**





No information available.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances: -**3.2. Mixture:**

The product is a mixture.

Ingredients: (Classification according to Directive 67/548/EEB and Regulation (EC) No. 1272/2008 [CLP])

CAS: 64742-47-8 Index No: 926-141-6 Reg. No: 01-2119456620-43	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes, < 2% aromatics  Xn, R65, R66  Flam. Liq. 4, H227;  Asp. Tox. 1, H304; EUH066	15 - < 20 %
CAS: 8042-47-5 EINECS: 232-455-8 Reg. No: 01-2119487078-27	white mineral oil (petroleum)  Asp. Tox. 1, H304	10 - < 15 %

Additional information: Full text of R-, H- and EUH-phrases: see section 16.

Net explosive mass: g

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures.

INHALATION: Provide fresh air.

SKIN CONTACT: After contact with skin, wash thoroughly with plenty of water. Take off contaminated clothing and wash it before reuse.

EYE CONTACT: Rinse opened eyes about 15 with plenty of water (remove contact lenses before). If symptoms continue to persist, consult a physician and show this container or label.

INGESTION: Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed.

No information available.

4.3. Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media.

SUITABLE EXTINGUISHING MEDIA: foam, carbon dioxide (CO₂), dry extinguishing powder.

UNSUITABLE EXTINGUISHING MEDIA: Water with full jet.

5.2. Special hazards arising from the substance or mixture.

Non-flammable.

5.3. Advice for fire-fighters.

In case of fire: Wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures.

Use personal protection equipment.

6.2. Environmental precautions.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling: No special measures are necessary.

Fire and explosion prevention: No special fire protection measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Advice on storage compatibility: No special measures are necessary.

7.3 Specific end use(s)

Sanding - polishing paste.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

ALUMINIUM OXIDE, respirable dust (CAS: 1344-28-1)

Long-term value: 4 mg / m³

Short-term value: Not specified

Printing date: 20-05-2015

Revision: 20-05-2015

GLYCEROL, mist (CAS: 56-81-5)

Long-term value: 10 mg / m³

Short-term value: Not specified

DNEL values

WHITE MINERAL OIL (PETROLEUM) (CAS: 8042-47-5)

Dermal DNEL Long term-systemic 220 mg/kg bw/day (Consumer)

Inhalation DNEL Long term-systemic 160 mg/m³ (Consumer)**8.2 Exposure controls**

Protective and hygiene measures:

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Personal protective equipment

RESPIRATORY PROTECTION: In case of inadequate ventilation wear respiratory protection

HAND PROTECTION: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

EYE PROTECTION: Wear eye/face protection.

SKIN PROTECTION: Wear suitable protective clothing.

8.3. Environmental exposure controls:

No data available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES:**9.1. Information on basic physical and chemical properties:****General information:**

Appearance:	Paste
Colour:	White
Odour:	Characteristic
pH value:	7,8
Melting / freezing point:	Not determined
Initial boiling point and boiling interval:	100 °C
Flash point:	> 70 °C.
Flammability:	
Solid:	Not determined
Gas:	Not applicable
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7 vol. %
Ignition temperature:	325 °C
Auto-ignition temperature (solid / gas):	Not determined / Not applicable
Decomposition temperature:	Not determined
Oxidizing properties:	Not oxidizing
Vapour pressure at 20 °C:	< 1 hPa
Density at 20 °C:	0,96 g/cm ³
Solubility in water:	Insoluble
Solubility in other solvents:	Not determined
Partition coefficient:	Not determined
Viscosity at 20 °C (dynamic):	7000 - 12000 mPa·s
Vapour density:	Not determined
Evaporation rate:	Not determined
Solvent content:	28,50 %

9.2. Other information:

No data available.

SECTION 10 STABILITY AND REACTIVITY**10.1. Reactivity:**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability:

The product is stable under storage at normal ambient.

10.3. Possibility of hazardous reactions:

No known hazardous reactions.

10.4. Conditions to avoid:

None.

10.5. Incompatible materials:

No further relevant information available.

10.6. Hazardous decomposition products:

No known hazardous decomposition products.

SECTION 11 TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects.****Acute toxicity:****LD/LC50 values relevant for classification:**

HYDROCARBONS, C11- C14, N-AKLKANES, ISOALKANES, CYCLOALKANES , < 2% AROMATICS

Oral	LD50	> 5000 mg / kg (rat)	OECD 401
------	------	----------------------	----------

Dermal	LD50	> 5000 mg / kg (rabbit)	OECD 402
--------	------	-------------------------	----------

Inhalation	LC50/4h	> 5000 mg / l (rat)	OECD 403
------------	---------	---------------------	----------

WHITE MINERAL OIL (PETROLEUM) (CAS: 8042-47-5)

Oral	LD50	> 5000 mg / kg (rat)	OECD 401
------	------	----------------------	----------

Dermal	LD50	> 2000 mg / kg (rabbit)	OECD 402
--------	------	-------------------------	----------

Inhalation	LD50/4h	> 5000 mg / l (rat)	OECD 403
------------	---------	---------------------	----------

Additional information on tests: This mixture is classified as not hazardous according to 1999/45/EC.

SECTION 12 ECOLOGICAL INFORMATION**12.1. Toxicity:**

The product is not ecotoxic.

Acquatic toxicity:

HYDROCARBONS, C11- C14, N-AKLKANES, ISOALKANES, CYCLOALKANES , < 2% AROMATICS

Acute fish toxicity	LC50	>1000 mg/l 96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA
---------------------	------	-----------------	-------------------------------------	------

Acute algae toxicity	ErC50	>1000 mg/l 72 h	Pseudokirchneriella subcapitata	ECHA
----------------------	-------	-----------------	---------------------------------	------

Acute crustacea toxicity	EC50	>1000 mg/l 48 h	Daphnia magna (Big water flea)	ECHA
--------------------------	------	-----------------	--------------------------------	------

WHITE MINERAL OIL (PETROLEUM) (CAS: 8042-47-5)

Acute fish toxicity	LC50	>1000 mg/l 96 h	Leuciscus idus (golden orfe)	OECD 203
---------------------	------	-----------------	------------------------------	----------

Acute crustacea toxicity	EC50	>100 mg/l 48 h	Daphnia magna (Big water flea)	OECD 202
--------------------------	------	----------------	--------------------------------	----------

Algae toxicity	NOEC	>=100 mg/l 72 d	Pseudokirchneriella subcapitata	OECD 201
----------------	------	-----------------	---------------------------------	----------

12.2. Persistence and degradability:

HYDROCARBONS, C11- C14, N-AKLKANES, ISOALKANES, CYCLOALKANES , < 2% AROMATICS

Biodegradation 69 % (readily biodegradable) (OECD criteria, 28 d.)

WHITE MINERAL OIL (PETROLEUM) (CAS: 8042-47-5)

Biodegradation 31.30 % (inherently biologically degradable) (OECD 301F, 28 d)

12.3. Bio accumulative potential:

The product has not been tested.

12.4. Mobility in soil:

The product has not been tested.

12.5. Results of PBT and vPvB assessment:

The product has not been tested.

12.6. Other adverse effects:

No further relevant information available.

Printing date: 20-05-2015

Revision: 20-05-2015

Additional information:

Avoid release to the environment.

SECTION 13 DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods:****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14 TRANSPORT INFORMATION**14.1. UN number:**

ADR/RID, IMDG, IATA, ADN No dangerous good in sense of this transport regulation

14.2. UN proper Shipping Name:

ADR/RID, IMDG, IATA, ADN No dangerous good in sense of this transport regulation

14.3. Transport hazard class(es):**14.4. Packing group:**

ADR/RID, IMDG, IATA, ADN No dangerous good in sense of this transport regulation

14.5. Environmental hazards:

No

14.6. Special precautions for user:

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to**Annex II of MARPOL73/78 and****the IBC Code:**

No dangerous good in sense of this transport regulation

Lithium mass:

g

Watt-hour rating:

Wh

SECTION 15 REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

DIRECTIVE 1999/45/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 May 1999 concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Additional information: This product contains no chemicals known to cause cancer, birth defects or other reproductive harm.

2010/75/EU (VOC): 15 % (144 g/l)

2004/42/EC (VOC): 15,017 % (144,165 g/l)

Subcategory according to Directive 2004/42/EC:

Additional information: To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water contaminating class (D) 1 - slightly water contaminating.

15.2 Chemical Safety Assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16 OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.